Applicant: Lars Pettersson Serial No.: 10/587,561 Filed: July 31, 2006 Page: 2 of 20

Amendments to the Claims

This listing of claims replaces all prior versions and listings of claims in the application:

1. (Currently Amended) An anti-estrogenic compound of the general formula I

wherein

A is a 8-22 atoms long substituent, wherein substituent A comprises D₁₋₆, wherein D is chosen from the group consisting of R4-C(O)R4, R4S(O)₀₋₂R4, N(R4)₃, R4OR4 and R4(C6H4)R4;

wherein R4 independently represents a bond, H, or

a halogenated or non-halogenated, saturated or unsaturated, mono-, di-, or trivalent C1-C12 hydrocarbon;

B',B" are H,H, H,O-R3, O-R3,H, H,F, or together represent =O;

R1 is H, or a potentially metabolically unstable group chosen from the group consisting of a straight, branched, or cyclic C1-C6 alkyl, C1-C6 acyl, benzoyl, sulphamoyl, and N-acetyl-sulphamoyl;

R2 is H, or a potentially metabolically unstable group chosen from the group eomprising consisting of C1-C6 acyl or benzoyl;

R3 is H, C1-C3 alkyl, or a potentially metabolically unstable group chosen from the group eomprising consisting of C1-C6 acyl, benzoyl, sulphamoyl, or N-acetyl-sulphamoyl; and

X is methylene or a single bond, or

pharmaceutically acceptable salts of the compounds of the general formula I.

Applicant: Lars Pettersson Serial No.: 10/587,561 Filed: July 31, 2006 Page: 3 of 20

(Previously Presented) A compound according to claim 1,

wherein A is

-(CH₂)₄₋₆N((CH₂)₀₋₂H)(CH₂)₂₋₄S(O)₀₋₂(CH₂)₂₋₄(CF₂)₁₋₃.CF₃.

3. (Previously Presented) A compound according to claim 1,

wherein A is

 $-(CH_2)_{7\text{-}11}S(O)_{0\text{-}2}(CH_2)_{2\text{-}4}(CF_2)_{1\text{-}3}.CF_3.$

4. (Previously Presented) A compound according to claim 1,

wherein A is

 $-(CH_2)_{8-12}C(O)N((CH_2)_{0-2}H)(CY_2)_{2-6}Y$

wherein Y is chosen from H or F.

- (Previously Presented) A compound according to any of claims 1-4, wherein R1 is hydrogen, methyl, acetyl, benzoyl, sulphamoyl, or N-acetyl-sulphamoyl.
- (Currently Amended) A compound according to any of claims 1-4, wherein R3 is H, methyl, or a potentially metabolically unstable group chosen from the group eomprising consisting of C1-C6 acyl, benzoyl, sulphamoyl, or N-acetyl-sulphamoyl.
- (Previously Presented) A compound according to claim 1,

wherein A is

$$-(CH_2)_{4\text{-}6}N((CH_2)_{0\text{-}2}H)(CH_2)_{2\text{-}4}S(O)_{0\text{-}2}(CH_2)_{2\text{-}4}(CF_2)_{1\text{-}3}-CF_3,$$

$$-(CH_2)_{7\text{-}11}S(O)_{0\text{-}2}(CH_2)_{2\text{-}4}(CF_2)_{1\text{-}3}-CF_{3,}$$

 $-(CH_2)_{8-12}C(O)N((CH_2)_{0-2}H)(CY_2)_{2=6}Y,$

wherein Y is chosen from H or F,

 $-(CH_2)_{8-9}CH(CO_2H)(CH_2)_{2-5}(CF_2)_{1-3}-CF_{3,}$

Applicant: Lars Pettersson Serial No.: 10/587,561 Filed: July 31, 2006 Page: 4 of 20

-C₆H₄-p-O(CH₂)₃₋₆S(O)₀₋₂(CH₂)₂₋₄(CF₂)₁₋₃-CF₃.

-C₆H₄-p-O(CH₂)₂NMe₂;

R1 is hydrogen, methyl, acetyl, benzoyl, sulphamoyl, or N-acetyl-sulphamoyl;

R2 is hydrogen; and

R3 is H, methyl, or a potentially metabolically unstable group chosen from the group consisting of C1-C6 acyl, benzoyl, sulphamoyl, and N-acetyl-sulphamoyl.

8. (Currently Amended) A compound according to claim 1,

wherein A is

 $-(CH_2)_{4-6}N(CH_3)(CH_2)_{2-4}S(O)_{0-2}(CH_2)_{2-4}(CF_2)_{1-3}-CF_3$

 $-(CH_2)_{7-11}S(O)_{0-2}(CH_2)_{2-4}(CF_2)_{1-3}-CF_3$

-(CH2)10C(O)N(CH3)(CY2)2-6Y,

wherein Y is chosen from H or F,

or

-(CH₂)₈₋₉CH(CO₂H)(CH₂)₂₋₅(CF₂)₁₋₃CF₃;

B',B" are H,H; H,O-R3; O-R3,H; or H,F;

R1 is H, methyl, acetyl, or sulphamoyl; and

R3 is H, methyl, or acyl[[;]].

- 9. (Previously Presented) A compound according to claim 1, wherein A is
- $-(CH_2)_{4-6}N(CH_3)(CH_2)_3S(O)_{0-2}(CH_2)_3CF_2CF_3,\\$

$$-(CH_2)_{8-10}S(O)_{0-2}(CH_2)_{2-4}(CF_2)_{1-3}CF_3,$$

or

-(CH₂)₈₋₉CH(CO₂H)(CH₂)₂₋₅(CF₂)₁₋₃-CF₃

and

Applicant : Lars Pettersson Serial No.: 10/587,561 Filed : July 31, 2006

Page : 5 of 20

R3 is H.

10 (Previously Presented) A compound according to claim 1 chosen from the group consisting of:

11-(3.16\alpha-Dihydroxy-17-methylene-estra-1.3.5(10)-triene-7\alpha-yl)-undecanoic acid n-butylmethyl-amide.

11-(3,16a-Dihydroxy-17-methylene-estra-1,3,5(10)-triene-7a-yl)-undecanoic acid n-butylmethyl-amide 3-O-benzoate,

11-(3,16\alpha-Dihydroxy-17-methylene-estra-1,3,5(10)-triene-7\alpha-vl)-undecanoic acid (2,2,3,3,4,4,4heptafluoro)-n-butyl-methyl-amide.

3.16a-Dihydroxy-17-methylene-7a-[9-[(4.4.5.5.5-pentafluoro-n-pentyl)thio|nonyl|-estra-1,3,5(10)-triene,

3,16\alpha-Dihydroxy-17-methylene-7\alpha-[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl]-estra-1,3,5(10)-triene,

3.16\alpha-Dihydroxy-17-methylene-7\alpha-[9-[(4.4.5.5.5-pentafluoro-n-pentyl)sulfinyl]nonyl]-estra-1.3.5(10)-triene 3-O-acetate.

3,16α-Dihydroxy-17-methylene-7α-[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl]-estra-1,3,5(10)-triene 3-O-sulfamate,

3,16a-Dihydroxy-17-methylene-7a-[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl]-estra-1,3,5(10)-triene 3-O-benzoate,

Applicant : Lars Pettersson Serial No.: 10/587,561 Filed : July 31, 2006 Page : 6 of 20

3.16α-Dihydroxy-17-methylene-7α-[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfonyl]nonyl]-estra-1.3.5(10)-triene.

3,16a-Dihydroxy-17-methylene-7a-[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]octyl]-estra-1,3,5(10)-triene,

7α-[9-[(2,2,3,3,4,4,4-Heptafluoro-n-butyl)sulfinyl]nonyl]-3,16α-dihydroxy-17-methylene-estra-1.3.5(10)-triene.

3.16\alpha-Dihydroxy-17-methylene-7\alpha-[9-[(3.3.4.4.5.5.6.6.6-nonafluoro-n-hexyl)sulfonyllnonyllestra-1,3,5(10)-triene,

3,16\alpha-Dihydroxy-17-methylene-7\alpha-[9-[(4,4,5,5,6,6,7,7,7-nonafluoro-n-heptyl)sulfonyl]estra-1,3,5(10)-triene,

3,16\alpha-Dihydroxy-17-methylene-7\alpha-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylthio)propylamino]-pentyl]-estra-1,3,5(10)-triene,

3.16\alpha-Dihydroxy-17-methylene-7\alpha-[5-[N-methyl-N-3-(4.4.5.5.5-pentafluoro-n-pentylsulfinyl)propylamino]-pentyl]-estra-1,3,5(10)-triene,

3.16\alpha-Dihydroxy-17-methylene-7\alpha-[5-[N-methyl-N-3-(4.4.5.5.5-pentafluoro-n-pentylsulfinyl)propylamino]-pentyl]-estra-1,3,5(10)-triene 3-O-sulfamate,

3.16\alpha-Dihydroxy-17-methylene-7\alpha-[5-[N-methyl-N-3-(4.4.5.5.5-pentafluoro-n-pentylsulfinyl)propylaminol-pentyll-estra-1,3,5(10)-triene 3-O-benzoate,

3,16a-Dihydroxy-17-methylene-7a-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylsulfonyl)propylaminol-pentyll-estra-1,3,5(10)-triene.

Applicant: Lars Pettersson Serial No.: 10/587,561 Filed: July 31, 2006 Page: 7 of 20

 $3,16\alpha$ -Dihydroxy-17-methylene- 7α -[5-[N-methyl-N-3-(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)-propylamino]-pentyl]-estra-1,3,5(10)-triene,

 $3,16\alpha$ -Dihydroxy-17-methylene- 7α -[S-[N-methyl-N-3-(4,4,5,5,6,6,7,7,7-nonafluoro-n-heptyl)-propylamino]-pentyl]-estra-1,3,5(10)-triene,

11- $(3,16\alpha$ -Dihydroxy-17-methylene-estra-1,3,5(10)-triene- 7α -yl)-2-(4,4,5,5,5-pentafluoro-n-pentyl)-undecanoic acid,

 $11-(3,16\alpha-Dihydroxy-17-methylene-estra-1,3,5(10)-triene-7\alpha-yl)-2-(4,4,5,5,6,6,7,7,7-nonafluoro-n-heptyl)-undecanoic acid,$

 $11-(3,16\alpha-Dihydroxy-17-methylene-estra-1,3,5(10)-triene-7\alpha-yl)-2-(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)-undecanoic acid,$

 $10-(3,16\alpha-Dihydroxy-17-methylene-estra-1,3,5(10)-triene-7\alpha-yl)-2-(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)-decanoic acid,$

11- $(3,16\alpha$ -Dihydroxy-17-methylene-estra-1,3,5(10)-triene- 7α -yl)-2-(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)-undecanoic acid methylester,

 $\label{eq:continuous} 2-[9-(3,16\alpha-Dihydroxy-17-methylene-estra-1,3,5(10)-triene-7\alpha-yl)-nonyl]-2-(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)-malonic acid,$

11- $(3,6\alpha,16\alpha$ -Trihydroxy-17-methylene-estra-1,3,5(10)-triene- 7α -yl)-undecanoic acid n-butyl-methyl-amide,

Applicant: Lars Pettersson Serial No.: 10/587,561 Filed : July 31, 2006 Page : 8 of 20

3.6\alpha.16\alpha-Trihydroxy-17-methylene-7\alpha-[9-[(4.4.5.5.5-pentafluoro-n-pentyl)thiolnonyl]-estra-1.3.5(10)-triene.

3,6\alpha,16\alpha-Trihydroxy-17-methylene-7\alpha-[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl] estra-1,3,5(10)-triene,

 $3,6\alpha,16\alpha$ -Trihydroxy-17-methylene- 7α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl]estra-1,3,5(10)-triene 3-O-sulfamate,

3.6\alpha.16\alpha-Trihydroxy-17-methylene-7\alpha-[5-[N-methyl-N-3-(4,4,5,5.5-pentafluoro-n-pentylthio)propylamino]-pentyl]-estra-1,3,5(10)-triene,

3,6\alpha,16\alpha-Trihydroxy-17-methylene-7\alpha-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylthio)propylamino]-pentyl]-estra-1,3,5(10)-triene 3-O-sulfamate,

3,6α,16α-Trihydroxy-17-methylene-7α-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-npentylsulfinyl)-propylamino]-pentyl]-estra-1,3,5(10)-triene,

3,6\alpha,16\alpha-Trihydroxy-17-methylene-7\alpha-[5-[N-methyl-N-3-(3,3,4,4,5,5,6,6,6-nonafluoro-nhexyl)-propylamino]-pentyl]-estra-1,3,5(10)-triene,

11-(3,6\alpha,16\alpha-Trihydroxy-17-methylene-estra-1,3.5(10)-triene-7\alpha-v1)-2-(3,3,4,4,5,5,6,6,6nonafluoro-n-hexyl)-undecanoic acid.

10-(3.6α, 16α-Trihydroxy-17-methylene-estra-1,3.5(10)-triene-7α-yl)-2-(3.3,4.4.5.5,6.6.6nonafluoro-n-hexyl)-decanoic acid,

11-(6β-Fluoro-3,16α-dihydroxy-17-methylene-estra-1,3,5(10)-triene-7α-yl)-undecanoic acid nbutyl-methyl-amide,

Applicant: Lars Pettersson Serial No.: 10/587,561 Filed: July 31, 2006 Page: 9 of 20

6 β -Fluoro-3,16 α -dihydroxy-17-methylene-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)thio]nonyl]-estra-1,3,5(10)-triene,

6 β -Fluoro-3,16 α -dihydroxy-17-methylene-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl]-estra-1,3,5(10)-triene,

 6β -Fluoro-3, 16α -dihydroxy-17-methylene- 7α -[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylthio)-propylamino]-pentyl]-estra-1,3,5(10)-triene,

6β-Fluoro-3,16α-dihydroxy-17-methylene-7α-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylsulfinyl)-propylamino]-pentyl]-estra-1,3,5(10)-triene,

 $\label{eq:condition} 6\beta-Fluoro-3, 16\alpha-dihydroxy-17-methylene-7\alpha-[5-[N-methyl-N-3-(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)-propylamino]-pentyl]-estra-1,3,5(10)-triene,$

 $11-(6\beta-Fluoro-3,16\alpha-dihydroxy-17-methylene-estra-1,3,5(10)-triene-7\alpha-yl)-2-(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)-undecanoic acid,$

10-(6 β -Fluoro-3,16 α -dihydroxy-17-methylene-estra-1,3,5(10)-triene-7 α -yl)-2-(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)-decanoic acid,

 $3,6\beta,16\alpha-Trihydroxy-17-methylene-7\alpha-[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl]-estra-1,3,5(10)-triene,$

 $3,6\beta,16\alpha$ -Trihydroxy-17-methylene- 7α -[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylthio)-propylamino]-pentyl]-estra-1,3,5(10)-triene,

Applicant: Lars Pettersson Serial No.: 10/587,561 Filed: July 31, 2006 Page: 10 of 20

3,6β,16α-Trihydroxy-17-methylene-7α-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylsulfinyl)-propylaminol-pentyl-estra-1,3,5(10)-triene,

11-(3,6 β ,16 α -Trihydroxy-17-methylene-estra-1,3,5(10)-triene-7 α -yl)-2-(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)-undecanoic acid.

11-(17-(1,2-Ethylene)-3, 16α -dihydroxy-estra-1,3,5(10)-triene- 7α -yl)-undecanoic acid n-butyl-methyl-amide,

11-(17-(1,2-Ethylene)-3,16 α -dihydroxy-estra-1,3,5(10)-triene-7 α -yl)-undecanoic acid n-butyl-methyl-amide 3-O-benzoate,

 $11-(17-(1,2-Ethylene)-3,16\alpha-dihydroxy-estra-1,3,5(10)-triene-7\alpha-yl)-undecanoic acid (2,2,3,3,4,4,4-heptafluoro)-n-butyl-methyl-amide,$

17-(1,2-Ethylene)-3,16 α -dihydroxy-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)thio]nonyl]-estra-1,3,5(10)-triene,

17-(1,2-Ethylene)-3,16 α -dihydroxy-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl]-estra-1,3,5(10)-triene,

 $17-(1,2-Ethylene)-3,16\alpha-dihydroxy-7\alpha-[9-[(4,4,5,5,5-pentafluoro-n-pentyl)] sulfinyl] nonyl]-estra-1,3,5(10)-triene 3-O-acetate,$

 $17-(1,2-Ethylene)-3,16\alpha-dihydroxy-7\alpha-[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl]-estra-1,3,5(10)-triene 3-O-sulfamate,$

17-(1,2-Ethylene)-3,16 α -dihydroxy-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfonyl]nonyl]-estra-1,3.5(10)-triene.

Applicant: Lars Pettersson Serial No.: 10/587,561 Filed: July 31, 2006 Page: 11 of 20

17-(1,2-Ethylene)-3,16 α -dihydroxy-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]octyl]-estra-1,3,5(10)-triene,

 $17-(1,2-Ethylene)-7\alpha-[9-[(2,2,3,3,4,4,4-heptafluoro-n-butyl)sulfinyl]nonyl]-3,16\alpha-dihydroxyestra-1,3,5(10)-triene,$

17-(1,2-Ethylene)-3,16 α -dihydroxy-7 α -[9[(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)sulfonyl]nonyl]-estra-1,3,5(10)-triene,

17-(1,2-Ethylene)-3,16 α -dihydroxy-7 α -[9-[(4,4,5,5,6,6,7,7,7-nonafluoro-nheptyl)sulfonyl]-estra-1,3,5(10)-triene,

 $\label{eq:continuous} 17-(1,2-Ethylene)-3,16\alpha-dihydroxy-7\alpha-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylthio)-propylamino]-pentyl]-estra-1,3,5(10)-triene,$

 $17-(1,2-Ethylene)-3,16\alpha-dihydroxy-7\alpha-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylthio)-propylamino]-pentyl]-estra-1,3,5(10)-triene 3-O-benzoate,$

 $17-(1,2-Ethylene)-3,16\alpha-dihydroxy-7\alpha-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylthio)-propylamino]-pentyl]-estra-1,3,5(10)-triene 3-O-acetate,$

17-(1,2-Ethylene)-3,16α-dihydroxy-7α-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylthio)-propylamino]-pentyl]-estra-1,3,5(10)-triene 3-O-sulfamate,

 $17-(1,2-Ethylene)-3,16\alpha-dihydroxy-7\alpha-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylsulfinyl)-propylamino]-pentyl]-estra-1,3,5(10)-triene,$

Applicant: Lars Pettersson Serial No.: 10/587,561 Filed: July 31, 2006 Page: 12 of 20

17-(1,2-Ethylene)-3,16α-dihydroxy-7α-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylsulfonyl)-propylamino]-pentyl]-estra-1,3,5(10)-triene,

17-(1,2-Ethylene)-3,16α-dihydroxy-7α-[5-[N-methyl-N-3-(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)-propylamino]-pentyl]-estra-1,3,5(10)-triene,

17-(1,2-Ethylene)-3,16 α -dihydroxy- 7α -[5-[N-methyl-N-3-(4,4,5,5,6,6,7,7,7-nonafluoro-n-heptyl)-propylamino]-pentyl]-estra-1,3,5(10)-triene,

11-(17-(1,2-Ethylene)-3,16 α -dihydroxy-estra-1,3,5(10)-triene-7 α -yl)-2-(4,4,5,5,5-pentafluoro-n-pentyl)-undecanoic acid,

 $11-(17-(1,2-Ethylene)-3,16\alpha-dihydroxy-estra-1,3,5(10)-triene-7\alpha-yl)-2-(4,4,5,5,6,6,7,7,7-nonafluoro-n-heptyl)-undecanoic acid,$

 $11-(17-(1,2-Ethylene)-3,16\alpha-dihydroxy-estra-1,3,5(10)-triene-7\alpha-yl)-2-(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)-undecanoic acid,$

 $10-(17-(1,2-Ethylene)-3,16\alpha-dihydroxy-estra-1,3,5(10)-triene-7\alpha-yl)-2-(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)-decanoic acid,$

11-(17-(1,2-Ethylene)-3,16 α -dihydroxy-estra-1,3,5(10)-triene-7 α -yl)-2-(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)-undecanoic acid methylester,

2-[9-(17-(1,2-Ethylene)-3,16 α -dihydroxy-estra-1,3,5(10)-triene-7 α -yl)-nonyl]-2-(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)-malonic acid,

11-(17-(1,2-Ethylene)-3,6 α ,16 α -trihydroxy-estra-1,3,5(10)-triene-7 α -yl)-undecanoic acid n-butyl-methyl-amide,

Applicant: Lars Pettersson Serial No.: 10/587,561 Filed: July 31, 2006 Page: 13 of 20

 $11-(17-(1,2-Ethylene)-3,6\alpha,16\alpha-trihydroxy-estra-1,3,5(10)-triene-7\alpha-yl)-undecanoic acid (2,2,3,3,4,4,4-heptafluoro)-n-butyl-methyl-amide,$

17-(1,2-Ethylene)-3,6 α ,16 α -trihydroxy-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)thio]nonyl]-estra-1,3,5(10)-triene,

17-(1,2-Ethylene)-3,6 α ,16 α -trihydroxy-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl]-estra-1,3,5(10)-triene,

17-(1,2-Ethylene)-3,6 α ,16 α -trihydroxy-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl]-estra-1,3,5(10)-triene 3-O-sulfamate,

 $17-(1,2-Ethylene)-3,6\alpha,16\alpha-trihydroxy-7\alpha-[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfonyl]nonyl]-estra-1,3,5(10)-triene,$

 $17-(1,2-Ethylene)-7\alpha-[9-[(2,2,3,3,4,4,4-heptafluoro-n-butyl) sulfinyl]nonyl]-3,6\alpha,16\alpha-trihydroxy-estra-1,3,5(10)-triene,$

 $17-(1,2-Ethylene)-3,6\alpha,16\alpha-trihydroxy-7\alpha-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylthio)-propylamino]-pentyl]-estra-1,3,5(10)-triene,$

17-(1,2-Ethylene)-3,6\(\alpha\),16\(\alpha\)-trihydroxy-7\(\alpha\)-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylthio)-propylamino]-pentyl]-estra-1,3,5(10)-triene 3-O-sulfamate,

17-(1,2-Ethylene)-3,6α,16α-trihydroxy-7α-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylsulfinyl)-propylamino]-pentyl]-estra-1,3,5(10)-triene,

Applicant: Lars Pettersson Serial No.: 10/587,561 Filed: July 31, 2006 Page: 14 of 20

17-(1,2-Ethylene)-3,6\alpha,16\alpha-trihydroxy-7\alpha-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylsulfonyl)-propylamino]-pentyl]-estra-1,3,5(10)-triene,

 $11-(17-(1,2-Ethylene)-3,6\alpha,16\alpha-trihydroxy-estra-1,3,5(10)-triene-7\alpha-yl)-2-(4,4,5,5,5-pentafluoro-n-pentyl)-undecanoic acid,$

11-(17-(1,2-Ethylene)-3,6 α ,16 α -trihydroxy-estra-1,3,5(10)-triene-7 α -yl)-2-(4,4,5,5,6,6,7,7,7-nonafluoro-n-heptyl)-undecanoic acid,

 $10-(17-(1,2-Ethylene)-3,6\alpha,16\alpha-trihydroxy-estra-1,3,5(10)-triene-7\alpha-yl)-2-(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)-decanoic acid,$

 $11-(17-(1,2-Ethylene)-3,6\alpha,16\alpha-trihydroxy-estra-1,3,5(10)-triene-7\alpha-yl)-2-(4,4,5,5,5-pentafluoro-n-pentyl)-undecanoic acid methylester,$

 $11-(17-(1,2-Ethylene)-3,6\alpha,16\alpha-trihydroxy-estra-1,3,5(10)-triene-7\alpha-yl)-2-(4,4,5,5,6,6,7,7,7-nonafluoro-n-heptyl)-undecanoie acid methylester,$

 $\label{eq:continuous} 2-[9-(17-(1,2-Ethylene)-3,6\alpha,16\alpha-trihydroxy-estra-1,3,5(10)-triene-7\alpha-yl)-nonyl]-2-(3,3,4,4,5,5,6,6,6-nonafluoro-n-hexyl)-malonic acid,$

11-(17-(1,2-Ethylene)-6 β -fluoro-3,16 α -dihydroxy-estra-1,3,5(10)-triene-7 α -yl)-undecanoic acid n-butyl-methyl-amide,

11-(17-(1,2-Ethylene)-6 β -fluoro-3,16 α -dihydroxy-estra-1,3,5(10)-triene-7 α -yl)-undecanoic acid (2,2,3,3,4,4,4-heptafluoro)-n-butyl-methyl-amide,

17-(1,2-Ethylene)-6 β -fluoro-3,16 α -dihydroxy-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)thio]nonyl]-estra-1,3,5(10)-triene,

Applicant: Lars Pettersson Serial No.: 10/587,561 Filed: July 31, 2006 Page: 15 of 20

17-(1,2-Ethylene)-6 β -fluoro-3,16 α -dihydroxy-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl]-estra-1,3,5(10)-triene,

17-(1,2-Ethylene)-6 β -fluoro-3,16 α -dihydroxy-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl]-estra-1,3,5(10)-triene 3-O-sulfamte,

17-(1,2-Ethylene)-6 β -fluoro-3,16 α -dihydroxy-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfonyl]nonyl]-estra-1,3,5(10)-triene,

17-(1,2-Ethylene)-6β-fluoro-3,16α-dihydroxy-7α-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylthio)-propylamino]-pentyl]-estra-1,3,5(10)-triene,

17-(1,2-Ethylene)-6β-fluoro-3,16α-dihydroxy-7α-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylthio)-propylamino]-pentyl]-estra-1,3,5(10)-triene 3-O-sulfamate,

17-(1,2-Ethylene)-6β-fluoro-3,16α-dihydroxy-7α-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylsulfinyl)-propylamino]-pentyl]-estra-1,3,5(10)-triene,

17-(1,2-Ethylene)-6 β -fluoro-3,16 α -dihydroxy-7 α -[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylsulfonyl)-propylamino]-pentyl]-estra-1,3,5(10)-triene,

11-(17-(1,2-Ethylene)-6 β -fluoro-3,16 α -dihydroxy-estra-1,3,5(10)-triene-7 α -yl)-2-(4,4,5,5,5-pentafluoro-n-pentyl)-undecanoic acid,

 $11-(17-(1,2-Ethylene)-6\beta-fluoro-3,16\alpha-dihydroxy-estra-1,3,5(10)-triene-7\alpha-yl)-2-(4,4,5,5,6,6,7,7,7-nonafluoro-n-heptyl)-undecanoic acid,$

Applicant: Lars Pettersson Serial No.: 10/587,561 Filed: July 31, 2006 Page: 16 of 20

 $11-(17-(1,2-Ethylene)-6\beta-fluoro-3,16\alpha-dihydroxy-estra-1,3,5(10)-triene-7\alpha-yl)-2-(4,4,5,5,6,6,7,7,7-nonafluoro-n-heptyl)-undecanoic acid methylester,$

17-(1,2-Ethylene)-3,6 β ,16 α -trihydroxy-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)thio]nonyl]-estra-1,3,5(10)-triene,

17-(1,2-Ethylene)-3,6 β ,16 α -trihydroxy-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl]-estra-1,3,5(10)-triene,

 $17-(1,2-Ethylene)-3,6\beta,16\alpha-trihydroxy-7\alpha-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylthio)-propylamino]-pentyl]-estra-1,3,5(10)-triene,$

17-(1,2-Ethylene)-3,6β,16α-trihydroxy-7α-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylsulfinyl)-propylamino]-pentyl]-estra-1,3,5(10)-triene,

 $11-(17-(1,2-Ethylene)-3,6\beta,16\alpha-trihydroxy-estra-1,3,5(10)-triene-7\alpha-yl)-2-(4,4,5,5,5-pentafluoro-n-pentyl)-undecanoic acid,$

 $11-(17-(1,2-Ethylene)-3,6\beta,16\alpha-trihydroxy-estra-1,3,5(10)-triene-7\alpha-yl)-2-(4,4,5,5,6,6,7,7,7-nonafluoro-n-heptyl)-undecanoic acid,$

17-(1,2-Ethylene)-3,16 α -dihydroxy-6-keto-7 α -[9-(4,4,5,5,5-pentafluoro-n-pentyl)thiononyl]-estra-1,3.5(10)-triene.

 $17-(1,2-Ethylene)-3,16\alpha-dihydroxy-6-keto-7\alpha-[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl]-estra-1,3,5(10)-triene,$

17-(1,2-Ethylene)-3,16\(\alpha\)-dihydroxy-6-keto-7\(\alpha\)-[5-[N-methyl-N-3-(4,4,5,5,5-pentafluoro-n-pentylthio)-propylamino]-pentyl-estra-1,3,5(10)-triene,

Applicant: Lars Pettersson Serial No.: 10/587,561 Filed: July 31, 2006 Page: 17 of 20

17-(1,2-Ethylene)-3,16 α -dihydroxy-6 α -methoxy-7 α -[9-(4,4,5,5,5-pentafluoro-n-pentyl)thiononyl]-estra-1,3,5(10)-triene,

17-(1,2-Ethylene)-3,16 α -dihydroxy-6 α -methoxy-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl]-estra-1,3,5(10)-triene,

17-(1,2-Ethylene)-3,16 α -dihydroxy-6 β -methoxy-7 α -[9-(4,4,5,5,5-pentafluoro-n-pentyl)thiononyl]-estra-1,3,5(10)-triene, and

17-(1,2-Ethylene)-3,16 α -dihydroxy-6 β -methoxy-7 α -[9-[(4,4,5,5,5-pentafluoro-n-pentyl)sulfinyl]nonyl]-estra-1,3,5(10)-triene.

11. (Currently Amended) An intermediate compound of the general formula VIII:

wherein

R1 is H, or a potentially metabolically unstable group chosen from the group consisting of a straight, branched, or cyclic C1-C6 alkyl, C1-C6 acyl, benzoyl, sulphamoyl, and N-acetyl-sulphamoyl;

R2 is H, or a potentially metabolically unstable group chosen from the group eomprising consisting of C1-C6 acyl or benzoyl; and

X is methylene or a single bond.

Applicant: Lars Pettersson Serial No.: 10/587,561 Filed: July 31, 2006 Page: 18 of 20

12-15. (Canceled)

- (Previously Presented) A pharmaceutical composition comprising a compound according to claim 1, admixed with one or more pharmaceutically acceptable excipients or carriers.
- 17. (Currently Amended) A pharmaceutical composition according to claim 16, wherein the excipients are chosen from the group eomprising consisting of filling agents, lubricants, flavours, colourings, sweetenings, buffers, acidifying agents, diluents and preservatives.
- 18. (Previously Presented) A pharmaceutical composition according to any one of claims 16-17, for administration orally, intramuscularly, intravenously, intraperitoneally or subcutaneously, via implants, rectally, intransally, transdermally, or vaginally.

19-21. (Canceled)